

IN THE CLAIMS:

All claim amendments and cancellations are made without prejudice or disclaimer.  
Please amend the claims as follows:

1. (Currently amended) A method for determining whether a compound ~~influences~~ interferes with a phase in the life cycle of a virus other than an adenovirus, said method comprising ~~the steps of~~:

- (a) providing a cell with at least those elements of the virus sufficient for performing said phase in the virus' life cycle;
- (b) providing said cell with the compound, ~~wherein step (a) and (b) may be performed subsequently, in any order, or simultaneously;~~ and
- (c) determining whether said phase in the virus' life cycle is ~~influenced~~ interfered with by the compound,

wherein step (a) and (b) may be performed simultaneously, or in any order, and wherein said cell ~~comprising~~ comprises a nucleic acid sequence encoding an adenovirus E1 early protein.

2. (Currently amended) The method according to claim 1, wherein said nucleic acid sequence is integrated into the genome of said cell.

3. (Previously presented) The method according to claim 1, wherein said virus is selected from the group consisting of viruses that are capable of infecting said cell.

4. (Previously presented) The method according to claim 1, wherein said cell is provided with an essentially intact virus.

5. (Previously presented) The method according to claim 1, wherein said cell is a human cell.

6. (Previously presented) The method according to claim 1, wherein said cell is kidney, retina or amniotic fluid origin.

7. (Currently amended) The method according to claim 1, wherein said cell further comprises a nucleic acid sequence encoding an adenovirus E2 ~~early~~-protein.

8. (Withdrawn) (Currently amended) The method according to claim 1, wherein determining whether a compound ~~influences~~ interferes with a phase in the life cycle of a virus comprises examining a cellular protein's activity, a cellular protein's amount, or the activity and amount of a cellular protein.

9. (Withdrawn) (Currently amended) The method according to claim 1, wherein determining whether a compound ~~influences~~ interferes with a phase in the life cycle of a virus comprises examining the interaction of said virus with said cell.

10. (Currently amended) The method according to claim 1, wherein determining whether the compound ~~influences~~ interferes with a phase in the life cycle of a virus comprises examining the virus' activity, the amount of the virus, the activity of a fragment of the virus, the amount of a fragment of the virus, or a mixture thereof.

11. (Withdrawn) A method according to claim 1, wherein determining whether the compound influences a phase in the life cycle of a virus comprises examining the viability of said cell.

12. (Currently amended) A method for identifying a compound with antiviral activity comprising the steps of:

- (a) providing a cell with at least a fragment of a virus other than an adenovirus, said fragment capable of performing a step in the life cycle of said virus;
- (b) providing said cell with a compound; ~~wherein steps (a) and (b) may be performed subsequently, in any order, or simultaneously;~~ and
- (c) determining whether said compound is capable of influencing said step in the life cycle of said virus,

wherein step (a) and (b) may be performed simultaneously, or in any order, and wherein said cell comprises a nucleic acid sequence encoding an adenovirus E1 early protein.

13. (Previously presented) The method according to claim 12, wherein said virus is selected from the group consisting of viruses that are capable of infecting said cell.

14. (Previously presented) The method according to claim 12, wherein said compound is part of a compound library.

15. (Previously presented) The method according to claim 12, wherein the method is performed in a high-throughput setting.

16. (Previously presented) The method according to claim 12, wherein said method further comprises the step of isolating said compound.

17. (Withdrawn) (Currently amended) The method according to claim 1, wherein providing a cell with at least those elements of the virus sufficient for performing said phase in the virus' life cycle-further comprising~~comprises~~:

- (a) providing said cell ~~a cell~~ from a first collection of cell cultures with at least a fragment of a first virus, said fragment capable of performing a step in the life cycle of said first virus;
- (b) providing said cell from a first collection of cell cultures with a compound from a first library of compounds;
- (c) determining whether said compound is capable of influencing said step in the life cycle of said first virus;
- (d) providing a cell from a second collection of cell cultures with at least a fragment of a second virus, said fragment capable of performing a step in the life cycle of said second virus;
- (e) providing said cell from a second collection of cell cultures with a second compound from a second library of compounds; and
- (f) determining whether said second compound is capable of inhibiting said step in the life cycle of said second virus,

wherein said cells from said first and said second collection comprise a nucleic acid encoding an adenovirus E1 early protein and wherein said first and said second library of compounds may be the same or different.

18. (Withdrawn) A method for determining the effect of the absence of a compound on a phase in the life cycle of a virus comprising the steps of:

- (a) culturing a cell otherwise capable of supporting said phase in the life cycle of a virus in the presence of said virus under conditions conducive to said phase in the life cycle in the absence of the compound; and
- (b) examining the effect of the absence of the compound on said phase in the life cycle of said virus.

19. (Withdrawn) The method according to claim 18, wherein said compound is a natural constituent of said cell or said virus.

20. (Withdrawn) The method according to claim 19, wherein said natural constituent is a receptor protein, or a fragment thereof, for said virus.

21. (Withdrawn) The method according to claim 17, wherein said cell is comprised in a set of clones of cells or a library of cells, said cells comprising a gene being effectively blocked from being expressed.

22. (Withdrawn) (Currently amended) The method according to claim 17, wherein said cell comprises a nucleic acid sequence encoding an adenovirus E2 early protein.

23. (Withdrawn) A method for determining the effect of a compound on a phase in the life cycle of a virus comprising:

- (a) culturing a cell capable of supporting said phase in the life cycle of a virus in the presence of said virus under conditions conducive to said phase in the life cycle in the virus; and
- (b) examining the effect of the of the compound on said phase in the life cycle of said virus.

24. (New) A method for determining an antiviral effect of a compound on a non-adenoviral virus, the method comprising:

- (a) culturing a cell capable of supporting a life cycle phase of a virus under conditions conducive to said life cycle phase of the virus; and
- (b) examining an antiviral effect of the of the compound on said virus.